


List Price Guide

Effective January 1, 2015



Clean the First Time®

Jackson WWS, Inc.

FLIGHTS / CONVEYORS / DOOR-TYPES / GLASSWASHERS / UNDERCOUNTERS





AVENGER® HT-E

High-Temperature Sanitizing Dishmachine with Built-In Booster Heater

Sensor Touch start with auto-fill, built-in booster heater, cleans up to 26 racks per hour, 0.73 gallons per rack, Sani-Sure[™] final rinse system, stainless steel wash pump assembly, pumped drain, digital and electromechanical components, delimer switch built in chamical number priming switches, auto stop

switch, built-in chemical pumps, priming switches, auto stop, one peg and one combination rack included. 208-230/60/1

\$7,000



CLICK or SCAN to download the Avenger HT -E spec sheet



AVENGER[®] LT

Chemical Sanitizing Dishmachine

Cleans up to 24 racks per hour, 1.2 gallons per rack, stainless steel self-draining wash pump assembly, pumped drain, universal controller, delimer switch, low product indicator light chemical pumps and priming

product indicator light, chemical pumps and priming switches, auto stop, auto fill, one peg and one combination rack included. 115/60/1





CLICK or SCAN to download the Avenger LT spec sheet

Avenger Series Options & Accessories



January 1, 2015





DELTA[®] 5-E

Chemical Sanitizing Door-Type Glasswasher/Dishwasher

Rated by NSF as both a glasswasher and a dishwasher, 90-second cycle, accommodates glasses and wares up to 11" high, electromechanical controls, built-in sustainer heater, easy access controls, chemical pumps, universal controller, delimer switch, built-in stainless steel scrap accumulator, side enclosure panels and two half-racks included. 115/60/1





CLICK or SCAN to download the Delta 5-E spec sheet



DELTA® 1200

Rotary-Type Glasswasher


Cleans 1,200 glasses per hour, uses 10 gallons water per hour, single switch operation, built-in chemical pumps and priming switches, hot or cold fresh water final rinse, convenient chemical storage and easy access scrap screens. Clockwise rotation standard. 208-230/60/1





CLICK or SCAN to download the Delta 1200 spec sheet

Delta Series Options & Accessories







TEMPSTAR®

Door-Type Dishmachine with Electric Tank Heat & Built-In Booster Heater

Single rack, electric tank heat with built-in 70° F booster heater, Sani-Sure™ final rinse system, up to 58 racks per hour, 0.89 gallons per rack, self-draining stainless steel wash pump, four selectable wash cycles, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, field conversion capability, front stainless steel dress panel. 208-230/60/3





CLICK or SCAN to download the TempStar spec sheet

Machine with Steam Tank Heat^{*} \$11,400 Machine without Booster Heater^{*} \$10,600 *Requires 180° F incoming water

energy Star

TempStar Series Options & Accessories







TEMPSTAR® GPX

Door-Type with Gas Tank Heat & External Booster Heater

Single rack, gas tank heat with integrated external gas booster heater, up to 57 racks per hour, 1.0 gallon per rack, self-draining stainless steel wash pump, four selectable wash cycles, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, front stainless steel dress panel. 208-230/60/3

\$21,900



CLICK or SCAN to download the TempStar GPX spec sheet

TEMPSTAR[®] HH

High Hood Door-Type with Electric Tank Heat & Built-in Booster Heater

High hood single rack, electric tank heat with built-in 70° F booster heater, Sani-Sure™ final rinse system, 27" clearance for wares, up to 53 racks per hour, 1.36 gallons per rack, dual counter-rotating lower wash arms, self-draining stainless steel wash pump, four selectable wash cycles, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, front stainless steel dress panel. 208-230/60/3

\$15,000

\$26,000

Machine with Steam Tank Heat^{*}\$13,900 Machine without Booster Heater^{*}....\$13,100 *Requires 180° F incoming water



CLICK or SCAN to download the TempStar HH spec sheet

TEMPSTAR® HH GPX

High Hood Door-Type with Gas Tank Heat & External Booster Heater

High hood single rack, gas tank heat with integrated external gas booster heater, 27" clearance for wares, up to 53 racks per hour, 1.36 gallons per rack, dual counter-rotating lower wash arms, self-draining stainless steel wash pump, four selectable wash cycles, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, front stainless steel dress panel. 208-230/60/3



CLICK or SCAN to download the TempStar HH GPX spec sheet



Conserver XL-E

CONSERVER® XL-E

Single Rack Door-Type Dishmachine

Cleans up to 39 racks per hour, 1.02 gallons per rack, stainless steel self-draining wash pump assembly, electromechanical controls, delimer switch, low product indicator light, chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa, auto start/stop, built-in stainless steel waste accumulator. 115/60/1





CLICK or SCAN to download the Conserver XL-E spec sheet

Conserver Series Options & Accessories







CONSERVER® XL2

Dual Rack Door-Type Dishmachine

Dual rack straight, up to 74 racks per hour, 1.17 gallons per rack, self-draining stainless steel wash pump assemblies, mechanical timer, delimer switch, low product indicator light, chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms auto start/stop, built-in stainless steel scrap accumulator. 115/60/1

\$7,800



CLICK or SCAN to download the Conserver XL2 spec sheet

Conserver XL2C\$8,300

Same specifications as the Conserver XL2, except for corner installations. Specify right front (R) or left front (L) door opening.



MODEL 10 A

Round Dishwasher

High-temperature sanitizing dishmachine, up to 45 racks per hour, counterrotating wash arms, manual control back-up system, 171/4" inside chamber clearance, wash and rinse temperature gauges, external vacuum breaker, requires 180° F incoming water supply (optional booster heater available). 208-230/60/1

\$12,500

Model 10 AB\$14,750 Model 10 A plus 6.5kW Built-in Booster Heater

Model 10 APRB\$16,500 Model 10 AB plus 1/2 hp Final Rinse Pump



CLICK or SCAN to download the Model 10 spec sheet

Model 10 Options & Accessories



Round Peg Rack 07320-100-09-01 \$195



07320-100-13-01 \$175



Round Combination Rack Round 12-Compartment 07320-100-17-01 \$195







Shown with optional Door Accent Panels

CREW[®] 44 44" Single Tank Conveyor

Single tank conveyor dishmachine, high temp or chemical sanitizing, 223 racks/hour and 0.35 gallons/rack, WISR[®] Cleaning System, Rainbow Rinse[™], adjustable vent cowl collars, 24V DC control circuit, large front access for ease of maintenance, PLC controls, digital temperature readout, EnergyGuard[™] system, 19-3/4" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3

\$19,500 Electric Tank Heat \$21,000 Steam Tank Heat



CLICK or SCAN to download the CREW 44 spec sheet



Shown with optional Door Accent Panels

CREW[®] 66

66" Single Tank Conveyor (44"+ 22" Pre-Wash)

Single tank conveyor dishmachine with pre-wash, high temp or chemical sanitizing, 223 racks/hour and 0.35 gallons/rack, WISR[®] Cleaning System, Rainbow Rinse[™], adjustable vent cowl collars, 24V DC control circuit, large front access for ease of maintenance, PLC controls, digital temperature readout, EnergyGuard[™] system, 19-3/4" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3

\$29,500 Electric Tank Heat \$31,000 Steam Tank Heat



CLICK or SCAN to download the CREW 66 spec sheet

CREW Series (only) Options & Accessories

A full listing of conveyor options and accessories is located on page 12





AJX SERIES

Single Tank Conveyor

Single tank conveyor dishmachine, dual rated for both high temperature and chemical sanitizing, 225 racks/ hour and 0.68 gallons/rack for high temperature, 209 racks/hour and 0.78 gallons/rack for chemical sanitizing, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/ automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3



AJX-44 44" Conveyor \$17,500 Electric Tank Heat \$19,000 Steam Tank Heat

AJX-54 54" Conveyor \$23,500 Electric Tank Heat \$25,000 Steam Tank Heat



AJX-66 66" Conveyor (44" + 22" Pre-Wash) \$27,000 Electric Tank Heat \$28,500 Steam Tank Heat

AJX-76 76" Conveyor (54" + 22" Pre-Wash) \$35,000 Electric Tank Heat \$36,500 Steam Tank Heat



AJX-80 80" Conveyor (44" + 36" Pre-Wash) \$29,500 Electric Tank Heat \$31,000 Steam Tank Heat

AJX-90 90" Conveyor (54" + 36" Pre-Wash) \$37,500 Electric Tank Heat \$39,000 Steam Tank Heat



CLICK or SCAN to download the AJX-44 spec sheet



CLICK or SCAN to download the AJX-54 spec sheet



CLICK or SCAN to download the AJX-66 spec sheet



CLICK or SCAN to download the AJX-76 spec sheet



CLICK or SCAN to download the AJX-80 spec sheet



CLICK or SCAN to download the AJX-90 spec sheet





AJ-44

44" Single Tank Conveyor with Gas Tank Heat

Single tank, gas tank heat conveyor dishmachine, 248 racks/hour and 0.94 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. Includes external booster heater. 208 or 230/60/3

\$34,000



CLICK or SCAN to download the AJ-44 spec sheet



AJ-66

66" Single Tank Conveyor with Gas Tank Heat (44" + 22" Pre-Wash)

Single tank, gas tank heat conveyor dishmachine, 248 racks/hour and 0.94 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. Includes external booster heater. 208 or 230/60/3

\$44,500



CLICK or SCAN to download the AJ-66 spec sheet



AJ-80

80" Single Tank Conveyor with Gas Tank Heat (44" + 36" Pre-Wash)

Single tank, gas tank heat conveyor dishmachine, 248 racks/hour and 0.94 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. Includes external booster heater. 208 or 230/60/3

\$47,000



CLICK or SCAN to download the AJ-80 spec sheet





AJ-64 64" Dual Tank Conveyor

Dual tank conveyor dishmachine, 287 racks/hour and 0.77 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet submerged stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3

\$36,000 Electric Tank Heat \$37,500 Steam Tank Heat \$50,000 Gas Tank Heat[†]



CLICK or SCAN to download the AJ-64 spec sheet



AJ-86

86" Dual Tank Conveyor (64" + 22" Pre-Wash)

Dual tank conveyor dishmachine, 287 racks/hour and 0.77 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet submerged stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3

\$46,000 Electric Tank Heat **\$48,000** Steam Tank Heat **\$61,000** Gas Tank Heat[†]



CLICK or SCAN to download the AJ-86 spec sheet



AJ-100

100" Dual Tank Conveyor (64" + 36" Pre-Wash)

Dual tank conveyor dishmachine, 287 racks/hour and 0.77 gallons/rack, Adjust-A-Peak[™] conveyor speed, EnergyGuard[™] system, 25" standard height clearance, automatic fill, manual/automatic switch, whisper-quiet submerged stainless steel pump assembly, exhaust vent fan control. 208 or 230/60/3

\$48,500 Electric Tank Heat
\$50,500 Steam Tank Heat
\$63,500 Gas Tank Heat[†]



CLICK or SCAN to download the AJ-100 spec sheet

[†]Includes External Gas Booster Heater



Jackson WWS List Price Guide

Warewashing Systems

Conveyor Options & Accessories



Door Accent Panels (set of 2) Must specify at time of order \$500



Water Hammer Arrestor 05700-002-61-29 \$240



20x20 Combination Rack 07320-100-36-00 \$91

Dual Point Connection Single Point Connection **480V Electrical** 50Hz Cycle Security Package Side Loader Side Loader Side Loader Side Loader Blower Dryer 1/2" Pressure Regulato 3/4" Pressure Regulato Wash Tank Heater



Onboard Booster Heater Table Limit Switch with 70° F rise/18kW **\$2,500** 40° F rise/12kW \$2,250

Drain Quench System 06401-002-44-07 \$900



20x20 Peg Rack 07320-100-35-00 \$91



Strike Plate (unmounted) 05700-002-88-07

\$350

05930-121-75-66

\$385


Sheet Pan Rack

5010-LS

\$300



Flanged Feet (set of 4) 05340-002-15-47 \$300



Cold Water Thermostat Steam Booster Heater 05700-002-98-86 \$5,038

4-1/8" Tall

07320-002-86-70

\$91



AJX & AJ Models Vent Cowl Collar (set of 2) 05700-002-04-08 \$400



CRFW Water Hammer Arrestor 05700-002-64-67

\$240



Cartridge for Scaltrol **RSC-100** \$275



Scaltrol Water Treatment

04730-003-05-76

\$350

36-Compartment Rack 07320-002-86-71 \$105



36-Compartment Rack 07320-002-86-72 \$112

I	AJX & AJ models	\$600
on	CREW with onboard booster, 3-phase only	N/C
	All models	\$918
	AJX & AJ models	\$918
	All models	\$4,500
	23" Unhooded	\$4,890
	23" Hooded (25" models)	\$7,015
	30" Unhooded	\$6,969
	30" Hooded (25" models)	\$7,931
	25" models	\$10,000
or	04820-100-04-07 (AJX and CREW models)	\$180
or	06685-001-58-22 (AJ models)	\$200
	18kW (CREW 44 model)	N/C

Electric Booster Heaters

C-4	Hatco [®] 4kW	\$1,935	C-18	Hatco [®] 18kW	\$2,235
C-6	Hatco [®] 6kW	\$1,995	C-24	Hatco [®] 24kW	\$2,978
C-7	Hatco [®] 7kW	\$2,020	C-27	Hatco [®] 27kW	\$3,015
C-9	Hatco [®] 9kW	\$2,050	C-30	Hatco [®] 30kW	\$3,051
C-12	Hatco [®] 12kW	\$2,158	C-36	Hatco [®] 36kW	\$3,196
C-15	Hatco [®] 15kW	\$2,200	C-45	Hatco [®] 45kW	\$3,612
C-17	Hatco [®] 17.2kW	\$2,215	C-54	Hatco [®] 54kW	\$3,725

Recommended Booster Heater Sizing Chart							
TEMPERATURE	CREW 44/66	AJX-44/54	AJ-64	AJX-66/76	AJX-80/90	AJ-86	AJ-100
40°F RISE	C-12	C-17	C-36	C-17	C-17	C-36	C-36
70°F RISE	C-17/C-18*	C-30	C-45	C-30	C-30	C-45	C-45

*Booster size determined by voltage and phase. Contact Customer Service for further assistance.





Rainbow Rinse™ produces superior results while significantly reducing water consumption



Specially designed wash arms with nonclogging, convex jets provide equalized water pressure and uniform cleanability



Reliable electromechanical controls and digital temperature readouts for each wash tank and final rinse

Rackless conveyor, up to 11,094 dishes per hour, 58 gallons of water per hour, Rainbow Rinse[™] final rinse arm, non-clogging wash and rinse arm nozzles, sequential digital temperature readout of each tank, door safety switches, belt tension adjustment, large removable scrap screens.

Also available in our 139.2 gallon/14,964 dishes per hour model - JFT

Assembly of all flight sections - including internal wiring, piping, thermometers and leveling of the machine - is performed by Jackson factory-authorized personnel. The Jackson factory authorized personnel will also conduct a performance test and operator training at time of assembly. Final utility connections for plumbing and electrical shall be provided by others and should be conducted by an authorized and licensed tradesman in accordance with local, state and national building codes and guidelines.

All Jackson Flight-Type machines come with a one-year Parts & Labor Warranty and a two-year Preventative Maintenance Program (PMP) through the local Jackson Authorized Service Agency (ASA).



CLICK or SCAN to download the JFT LoH2O spec sheet

Call Factory for Quote



Jackson WWS List Price Guide

WATER TREATMENT





Scale Prevention Sys (SPS) 04730-003-28-03 \$575

Cartridge for SPS 04730-003-28-04 \$500





RSC-100 \$275

DISHTABLES


DTC-S70-24L	Clean Side 24" - Left side installation \$945	DTS-S70-36L	Soil Side 36" - Left side installation \$1,846
DTC-S70-24R	Clean Side 24" - Right side installation \$945	DTS-S70-36R	Soil Side 36" - Right side installation \$1,846
DTC-S70-36L	Clean Side 36" - Left side installation \$1,082	DTS-S70-48L	Soil Side 48" - Left side installation \$1,904
DTC-S70-36R	Clean Side 36" - Right side installation \$1,082	DTS-S70-48R	Soil Side 48" - Right side installation \$1,904
DTC-S70-48L	Clean Side 48" - Left side installation \$1,188	DTS-S70-72L	Soil Side 48" - Left side installation \$2,260
DTC-S70-48R	Clean Side 48" - Right side installation \$1,188	DTS-S70-72R	Soil Side 48" - Right side installation \$2,260
DTC-S70-72L	Clean Side 72" - Left side installation \$1,378	DTU-U60-48L	Undercounter Table 48" - Left side \$1,737
DTC-S70-72R	Clean Side 72" - Right side installation \$1,378	DTU-U60-48R	Undercounter Table 48" - Right side \$1,737

Please Call Factory for Custom Dishtable Sizes & Specifications

DISHTABLE ACCESSORIES

B-2147M	Pre-Rinse Spray for use with Overshelf \$558	DT-6R-22-X	Overshelf 42" \$872
B-2175M	Pre-Rinse Spray for use w/o Overshelf \$558	DT-6R-23-X	Overshelf 62" \$962
07320-500-01-04	Scrap Block\$257	DTA-100-X	Pre-Rinse Basket with Slide Bar\$483
DTA-SS-42	Undershelf 42" \$862		

DISH RACKS





GENERAL INFORMATION

TERMS OF SALE: 1% 10 days, net 30 days.

FREIGHT TERMS: F.O.B. Factory prepaid and allowed in the contiguous United States on Jackson manufactured dishmachines, subject to the following surcharges:

Lift-Gate Delivery (44" & smaller) **\$150** Lift-Gate Delivery (larger than 44") **\$225** Call Prior to Delivery **\$50** Guaranteed Delivery Date **Call Factory** Inside Delivery (44" & smaller)......\$75 Inside Delivery (larger than 44")\$125 Re-Consignment.....\$75 Export or Special Packaging ...Call Factory

WARRANTY/EXTENDED WARRANTY: All new Jackson manufactured dishmachines are warranted to the original purchaser to be free from defects in material and workmanship, under normal use and operation, for a period of one (1) year from the date of purchase. Extended warranties are available on new Jackson manufactured dishmachines and must be purchased at the time of equipment order. A one (1) year extended warranty is available at a rate of 10% of the purchase price and a two (2) year extended warranty is available at a rate of 18% of the purchase price.



FREE START-UP: All new Jackson manufactured dishmachines qualify for a Complimentary Performance & Installation Check by a Jackson Authorized Service Agency (ASA)*. When the machine is installed by a Jackson ASA, this complimentary service is provided at the time of installation.

When the installation is not performed by the local Jackson ASA we will still conduct the Complimentary Performance & Installation Check to verify the installation was done correctly and that the machine is operating properly. Contact Jackson Technical Service to arrange for this service.

*Jackson WWS limits travel time to two (2) hours and mileage to one hundred (100) miles round trip. Jackson WWS will not pay for travel time and mileage that exceed this, or any fees such as those for air or boat travel without prior authorization. For machines located beyond the above stated limitations, please contact Jackson Technical Service for assistance via phone, 1-888-800-5672.

QUICK-SHIP PROGRAM: All items marked with are part of Jackson's Quick Ship Program. Standard shipping for these products is 1 to 2 business days. Please contact the factory for lead times on custom, specialty or other Jackson-provided products.

RETURNS: All returns must be authorized in writing by Jackson and are subject to a 25% restocking fee and freight charges both ways.

ALL PRICES ARE IN U.S. DOLLARS. ALL PRICES, TERMS, ITEMS & SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Jackson WWS List Price Guide



About Jackson

Jackson WWS is a full-line supplier of high-quality commercial dishmachines including flights, conveyors, door-types, glasswashers and undercounters. Founded in 1925, Jackson stands by their "Clean the First Time[®]" commitment with dishmachines that deliver optimal cleaning performance while reducing labor, chemical and utility costs. With more standard features, lower operating and acquisition costs and our network of factory-certified technicians, Jackson sets the standard for warewashing. For more information about Jackson and its full line of warewashing solutions, please visit www.jacksonwws.com or call 1.888.800.5672.



Jackson WWS List Price Guide January 1, 2015

Jackson WWS, Inc.

Shipping Address: 6209 North U.S. Highway 25E, Gray, KY 40734 Mailing Address: P.O. Box 1060, Barbourville, KY 40906 Telephone: 888-800-5672 • Fax: 606-523-1799 Email: info@jacksonwws.com 07610-003-59-42 [12/01/14]

www.jacksonwws.com



CLICK or SCAN to access the Jackson website