

Issued: January 1, 2009



**Kolpak.**

## ***POLAR PAK<sup>®</sup> SYSTEM LIST PRICE***



***Specified #1 Among Walk-ins***

KOLPAK

2915 Tennessee Avenue North • Parsons, TN 38363, USA

Phone: 800-826-7036 • Fax: 731-847-5387

[www.kolpak.com](http://www.kolpak.com)





**Kolpak®**

## **Polar-Pak® System** *by Kolpak*

Polar-Pak can easily be installed in practically no time at all without the services of a refrigeration technician or plumber. Corners, wall panels, and doors are quickly assembled on the unit's floor (or screeds), and the ceiling panels lifted in place. Then the self-contained wall-mounted refrigeration unit, equipped with casters for leveling, is simply rolled up and fitted into place. The top mounted system is shipped ready to fit into the appropriate ceiling panel, and is simply lifted into position and then bolted into place. Wiring the refrigeration system can be as simple as attaching a pigtail and plugging the unit into the wall.

## **Polar-Chill®** *by Kolpak*

Blast chillers feature high efficiency at a lower price. Unique, two compressor blast chilling system lowering product temperatures from above 140°F to 40°F in two hours.

## **Express®** *by Kolpak*

Pre-assembled outdoor walk-in is the most convenient choice in walk-ins. Pre-assembled in the factory and installed by Kolpak. One point electrical connection — pre-wired and ready to run.

## Quick-Ship Program Units

The following Polar-Pak units are available under the "Quick-Ship" program.

Ship within seven working days.

### Coolers and Freezers with Refrigeration Systems and Floors

#### 7'6" High • Door Opening 26" x 78" • 38°F - Cooler

Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P7-054-CT	4'10.5" x 3'11"	84 cu. ft.	1/3 HP	8.4	115/60/1	779	\$10,323
P7-064-CT	5'10" x 3'11"	116 cu. ft.	1/3 HP	8.4	115/60/1	844	\$10,696
P7-066-CT	5'10" x 5'10"	184 cu. ft.	1/2 HP	9.9	115/60/1	1013	\$11,898
P7-068-CT	5'10" x 7'9"	252 cu. ft.	1/2 HP	9.9	115/60/1	1169	\$12,997
P7-610-CT	5'10" x 9'8"	320 cu. ft.	3/4 HP	16.3	115/60/1	1368	\$14,433
P7-612-CT	5'10" x 11'7"	388 cu. ft.	3/4 HP	16.3	115/60/1	1524	\$14,776
P7-088-CT	7'9" x 7'9"	345 cu. ft.	3/4 HP	16.3	115/60/1	1391	\$14,836
P7-810-CT	7'9" x 9'8"	439 cu. ft.	3/4 HP	16.3	115/60/1	1573	\$15,355
P7-812-CT	7'9" x 11'7"	532 cu. ft.	1 HP	16.8	115/60/1	1762	\$19,114
P7-108-CT	9'8" x 7'9"	439 cu. ft.	3/4 HP	16.3	115/60/1	1573	\$15,739
P7-1010-CT	9'8" x 9'8"	558 cu. ft.	1 HP	16.8	115/60/1	1790	\$17,567

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Any deviation from these standards will fall under normal seasonal lead times.

Note 3: Only the above sizes are available under the quick-ship program. All other Polar-Pak units will be shipped under normal seasonal lead times.

Note 4: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 5: Refrigerant type: R-404A.

#### 7'6" High • Door Opening 26" x 78" • -10°F - Freezer

Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P7-054-FT	4'10.5" x 3'11"	94 cu. ft.	3/4 HP	6.3	208-230/60/1	879	\$12,498
P7-064-FT	5'10" x 3'11"	116 cu. ft.	3/4 HP	6.3	208-230/60/1	944	\$12,902
P7-066-FT	5'10" x 5'10"	184 cu. ft.	1 HP	10.6	208-230/60/1	1113	\$15,192
P7-068-FT	5'10" x 7'9"	252 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1269	\$16,373
P7-610-FT	5'10" x 9'8"	320 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1433	\$19,712
P7-612-FT	5'10" x 11'7"	388 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1524	\$20,893
P7-088-FT	7'9" x 7'9"	345 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1456	\$19,910
P7-810-FT	7'9" x 9'8"	439 cu. ft.	2 HP	18.8	208-230/60/1	1638	\$21,150
P7-812-FT	7'9" x 11'7"	532 cu. ft.	2 HP	18.8	208-230/60/1	1762	\$22,711
P7-108-FT	9'8" x 7'9"	439 cu. ft.	2 HP	18.8	208-230/60/1	1638	\$21,286
P7-1010-FT	9'8" x 9'8"	558 cu. ft.	2 HP	18.8	208-230/60/1	1790	\$22,037

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Any deviation from these standards will fall under normal seasonal lead times.

Note 3: Only the above sizes are available under the quick-ship program. All other Polar-Pak units will be shipped under normal seasonal lead times.

Note 4: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 5: Refrigerant type: R-404A.

\*See page 4 and 5 for accessories.

# Polar-Pak<sup>®</sup> System

by Kolpak

## Freezers with Refrigeration Systems and Floors

### 7'6" High • Door Opening 26" x 78" • -10°F - Freezer

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P7-054-FS	P7-054-FT	4'10.5" x 3'11"	94 cu. ft.	3/4 HP	6.3	208-230/60/1	879	\$12,498
P7-064-FS	P7-064-FT	5'10" x 3'11"	116 cu. ft.	3/4 HP	6.3	208-230/60/1	944	\$12,902
P7-066-FS	P7-066-FT	5'10" x 5'10"	184 cu. ft.	1 HP	10.6	208-230/60/1	1113	\$15,192
P7-068-FS	P7-068-FT	5'10" x 7'9"	252 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1269	\$16,373
P7-610-FS	P7-610-FT	5'10" x 9'8"	320 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1433	\$19,712
P7-612-FS	P7-612-FT	5'10" x 11'7"	388 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1524	\$20,893
P7-088-FS	P7-088-FT	7'9" x 7'9"	345 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1456	\$19,910
P7-810-FS	P7-810-FT	7'9" x 9'8"	439 cu. ft.	2 HP	18.8	208-230/60/1	1638	\$21,150
P7-812-FS	P7-812-FT	7'9" x 11'7"	532 cu. ft.	2 HP	18.8	208-230/60/1	1762	\$22,711
P7-108-FS	P7-108-FT	9'8" x 7'9"	439 cu. ft.	2 HP	18.8	208-230/60/1	1638	\$21,286
P7-1010-FS	P7-1010-FT	9'8" x 9'8"	558 cu. ft.	2 HP	18.8	208-230/60/1	1790	\$22,037

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Any deviation from these standards will fall under normal seasonal lead times.

Note 3: Only the above sizes are available under the quick-ship program. All other Polar-Pak units will be shipped under normal seasonal lead times.

Note 4: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 5: Refrigerant type: R-404A.

### 6'6" High • Door Opening 26" x 66" • -10°F - Freezer

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P6-054-FS	P6-054-FT	4'10.5" x 3'11"	80 cu. ft.	3/4 HP	6.3	208-230/60/1	879	\$12,108
P6-064-FS	P6-064-FT	5'10" x 3'11"	98 cu. ft.	3/4 HP	6.3	208-230/60/1	903	\$12,570
P6-066-FS	P6-066-FT	5'10" x 5'10"	156 cu. ft.	1 HP	10.6	208-230/60/1	1065	\$14,886
P6-068-FS	P6-068-FT	5'10" x 7'9"	213 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1213	\$15,990
P6-610-FS	P6-610-FT	5'10" x 9'8"	271 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1369	\$18,860
P6-612-FS	P6-612-FT	5'10" x 11'7"	332 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1434	\$19,960
P6-088-FS	P6-088-FT	7'9" x 7'9"	293 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1390	\$19,240
P6-810-FS	P6-810-FT	7'9" x 9'8"	372 cu. ft.	1-1/2 HP	13.5	208-230/60/1	1568	\$20,370
P6-812-FS	P6-812-FT	7'9" x 11'7"	455 cu. ft.	2 HP	18.8	208-230/60/1	1662	\$21,501
P6-108-FS	P6-108-FT	9'8" x 7'9"	372 cu. ft.	1-1/2 HP	12.9	208-230/60/1	1568	\$20,180
P6-1010-FS	P6-1010-FT	9'8" x 9'8"	477 cu. ft.	2 HP	18.8	208-230/60/1	1690	\$21,207

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Any deviation from these standards will fall under normal seasonal lead times.

Note 3: Only the above sizes are available under the quick-ship program. All other Polar-Pak units will be shipped under normal seasonal lead times.

Note 4: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 5: Refrigerant type: R-404A.

Refrigeration Accessories	
Optional 5 Year Compressor Warranty	
H.P	Net
1	\$121
1-1/2	\$138
2	\$179

Outdoor Package:	Low Temp		
Includes low ambient controls. Crankcase heater and outdoor housing require extra lead time.	1 HP	1-1/2 HP	2 HP
	\$645	\$806	\$857

NOTE: Outdoor Polar-Pak requires outdoor package (above) for refrigeration and roof sealing system (see page 7). Outdoor units require a field supplied and field installed condensate drainline (including heat tape on freezer drains).

Options: Please consult factory for available options and pricing.

#### General Specifications:

Interior finish: 26 gauge embossed galvalume

Exterior finish: 26 gauge embossed galvalume

Interior floors: .100" smooth aluminum

Insulation: 4" 100% foamed-in place polyurethane

Thermometer: 2-1/2" Dial Thermometer

#### Door Accessories:

Locking bar: \$320.00

Outdoor door package: \$203.00

# Polar-Pak System<sup>®</sup>

by Kolpak

## Coolers with Refrigeration Systems and Floors

### 7'6" High • Door Opening 26" x 78" • 38°F - Cooler

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P7-054-CS	P7-054-CT	4'10.5" x 3'11"	84 cu. ft.	1/3 HP	8.4	115/60/1	779	\$10,323
P7-064-CS	P7-064-CT	5'10" x 3'11"	116 cu. ft.	1/3 HP	8.4	115/60/1	844	\$10,696
P7-066-CS	P7-066-CT	5'10" x 5'10"	184 cu. ft.	1/2 HP	9.9	115/60/1	1013	\$11,898
P7-068-CS	P7-068-CT	5'10" x 7'9"	252 cu. ft.	1/2 HP	9.9	115/60/1	1169	\$12,997
P7-610-CS	P7-610-CT	5'10" x 9'8"	320 cu. ft.	3/4 HP	16.3	115/60/1*	1368	\$14,433
P7-612-CS	P7-612-CT	5'10" x 11'7"	388 cu. ft.	3/4 HP	16.3	115/60/1*	1524	\$15,278
P7-088-CS	P7-088-CT	7'9" x 7'9"	345 cu. ft.	3/4 HP	16.3	115/60/1*	1391	\$14,839
P7-810-CS	P7-810-CT	7'9" x 9'8"	439 cu. ft.	3/4 HP	16.3	115/60/1*	1573	\$15,355
P7-812-CS	P7-812-CT	7'9" x 11'7"	532 cu. ft.	1 HP	16.8	115/60/1**	1762	\$19,114
P7-108-CS	P7-108-CT	9'8" x 7'9"	439 cu. ft.	3/4 HP	16.3	115/60/1*	1573	\$15,739
P7-1010-CS	P7-1010-CT	9'8" x 9'8"	558 cu. ft.	1 HP	16.8	115/60/1**	1790	\$17,567

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 3: Refrigerant type: R-404A.

\*Also available 208-230/60/1ø. Will run at 7.5 amps. \*\*Will run at 8.0 amps (requires extra lead time).

### 6'6" High • Door Opening 26" x 66" • 38°F - Cooler

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
P6-054-CS	P6-054-CT	4'10.5" x 3'11"	80 cu. ft.	1/3 HP	8.4	115/60/1	742	\$10,535
P6-064-CS	P6-064-CT	5'10" x 3'11"	98 cu. ft.	1/3 HP	8.4	115/60/1	803	\$10,393
P6-066-CS	P6-066-CT	5'10" x 5'10"	156 cu. ft.	1/2 HP	9.9	115/60/1	965	\$11,435
P6-068-CS	P6-068-CT	5'10" x 7'9"	213 cu. ft.	1/2 HP	9.9	115/60/1	1113	\$13,851
P6-610-CS	P6-610-CT	5'10" x 9'8"	271 cu. ft.	3/4 HP	16.3	115/60/1*	1304	\$13,936
P6-612-CS	P6-612-CT	5'10" x 11'7"	332 cu. ft.	3/4 HP	16.3	115/60/1*	1434	\$14,062
P6-088-CS	P6-088-CT	7'9" x 7'9"	293 cu. ft.	3/4 HP	16.3	115/60/1*	1325	\$14,695
P6-810-CS	P6-810-CT	7'9" x 9'8"	372 cu. ft.	3/4 HP	16.3	115/60/1*	1503	\$16,345
P6-812-CS	P6-812-CT	7'9" x 11'7"	455 cu. ft.	3/4 HP	16.3	115/60/1**	1662	\$14,813
P6-108-CS	P6-108-CT	9'8" x 7'9"	372 cu. ft.	3/4 HP	16.3	115/60/1*	1503	\$16,940
P6-1010-CS	P6-1010-CT	9'8" x 9'8"	477 cu. ft.	3/4 HP	16.3	115/60/1**	1690	\$17,208

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 3: Refrigerant type: R-404A.

\*Also available 208-230/60/1ø. Will run at 7.5 amps. \*\*Will run at 8.0 amps (requires extra lead time).

Refrigeration Accessories	
Optional 5 Year Compressor Warranty	
HP	Net
1/3	\$75
1/2	\$75
3/4	\$97
1	\$120

Outdoor Package:	Medium Temp			
Includes low ambient controls. Crankcase heater and outdoor housing require extra lead time.	1/3 HP	1/2 HP	3/4 HP	1 HP
	\$624	\$629	\$681	\$670

NOTE: Outdoor Polar-Pak requires outdoor package (above) for refrigeration and roof sealing system (see page 7). Outdoor units require a field supplied and field installed condensate drainline (including heat tape on freezer drains). Add covered base and tapcon fasteners for outdoor applications.

Options: Please consult factory for available options and pricing.

#### General Specifications:

Interior finish: 26 gauge embossed galvalume  
 Exterior finish: 26 gauge embossed galvalume  
 Interior floors: .100" smooth aluminum  
 Insulation: 4" 100% foamed-in place polyurethane  
 Thermometer: 2-1/2" Dial Thermometer  
 Screeds: 4" vinyl foam

#### Door Accessories:

Locking bar: \$320.00  
 Outdoor door package: \$203.00

# Polar-Pak<sup>®</sup> System

by Kolpak

## Coolers and Refrigeration Systems — Floorless

### 7'6" High • Door Opening 26" x 78" • 38°F - Cooler

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
PX7-054-CS	PX7-054-CT	4'10.5" x 3'11"	98 cu. ft.	1/3 HP	8.4	115/60/1	669	\$10,253
PX7-064-CS	PX7-064-CT	5'10" x 3'11"	121 cu. ft.	1/2 HP	9.9	115/60/1	748	\$10,637
PX7-066-CS	PX7-066-CT	5'10" x 5'10"	192 cu. ft.	1/2 HP	9.9	115/60/1*	869	\$12,074
PX7-068-CS	PX7-068-CT	5'10" x 7'9"	264 cu. ft.	3/4 HP	16.3	115/60/1*	977	\$13,108
PX7-610-CS	PX7-610-CT	5'10" x 9'8"	335 cu. ft.	3/4 HP	16.3	115/60/1*	1128	\$13,823
PX7-612-CS	PX7-612-CT	5'10" x 11'7"	406 cu. ft.	3/4 HP	16.3	115/60/1*	1236	\$14,567
PX7-088-CS	PX7-088-CT	7'9" x 7'9"	360 cu. ft.	3/4 HP	16.3	115/60/1*	1135	\$14,174
PX7-810-CS	PX7-810-CT	7'9" x 9'8"	458 cu. ft.	1 HP	16.8	115/60/1**	1253	\$15,765
PX7-108-CS	PX7-108-CT	9'8" x 7'9"	458 cu. ft.	1 HP	16.8	115/60/1**	1253	\$15,729

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 3: Refrigerant type: R-404A.

\*Also available 208-230/60/1ø. Will run at 7.5 amps. \*\*Will run at 8.0 amps (requires extra lead time).

### 6'6" High • Door Opening 26" x 66" • 38°F - Cooler

Side Mount	Top Mount	Actual Size	Capacity	Compressor	Amps	Electrical	Ship Weight	Price
PX6-054-CS	PX6-054-CT	4'10.5" x 3'11"	84 cu. ft.	1/3 HP	8.4	115/60/1	662	\$9,879
PX6-064-CS	PX6-064-CT	5'10" x 3'11"	104 cu. ft.	1/3 HP	8.4	115/60/1	707	\$10,272
PX6-066-CS	PX6-066-CT	5'10" x 5'10"	165 cu. ft.	1/2 HP	9.9	115/60/1*	821	\$11,457
PX6-068-CS	PX6-068-CT	5'10" x 7'9"	226 cu. ft.	3/4 HP	16.3	115/60/1*	921	\$12,275
PX6-610-CS	PX6-610-CT	5'10" x 9'8"	287 cu. ft.	3/4 HP	16.3	115/60/1*	1064	\$13,242
PX6-612-CS	PX6-612-CT	5'10" x 11'7"	348 cu. ft.	3/4 HP	16.3	115/60/1*	1146	\$13,647
PX6-088-CS	PX6-088-CT	7'9" x 7'9"	309 cu. ft.	3/4 HP	16.3	115/60/1*	1069	\$13,402
PX6-810-CS	PX6-810-CT	7'9" x 9'8"	393 cu. ft.	3/4 HP	16.3	115/60/1**	1183	\$14,958
PX6-108-CS	PX6-108-CT	9'8" x 7'9"	393 cu. ft.	3/4 HP	16.3	115/60/1**	1183	\$14,919

Note 1: Add "R" or "L" to end of model numbers above to designate right or left door hinge.

Note 2: Refrigeration will not fit on a 4' wall section. Wall section must be 5' or longer.

Note 3: Refrigerant type: R-404A.

\*Also available 208-230/60/1ø. Will run at 7.5 amps. \*\*Will run at 8.0 amps (requires extra lead time).

Refrigeration Accessories	
Optional 5-Year Compressor Warranty	
HP	Net
1/2	\$75
3/4	\$97
1	\$120

Outdoor Package:	Low Temp		
Includes low ambient controls. Crankcase heater and outdoor housing require extra lead time.	1/2 HP	3/4 HP	1 HP
	\$629	\$681	\$670

NOTE: Outdoor Polar-Pak requires outdoor package (above) for refrigeration and roof sealing system (see page 7). Outdoor units require a field supplied and field installed condensate drainline (including heat tape on freezer drains). Add covered base and tapcon fasteners for outdoor applications.

Options: Please consult factory for available options and pricing.

#### General Specifications:

Interior finish: 26 gauge embossed galvalume  
 Exterior finish: 26 gauge embossed galvalume  
 Interior Floors: .100" smooth aluminum  
 Insulation: 4" 100% foamed-in place polyurethane  
 Thermometer: 2-1/2" dial thermometer  
 Screeds: 4" vinyl/foam

#### Door Accessories:

Locking bar: \$320.00  
 Outdoor door package: \$203.00

# Polar-Pak<sup>®</sup> System

by Kolpak

## Roof Sealing Kits Single Compartment Top-Mount Systems

	4'	5'	6'	7'	8'	9'	10'	12'
5'	N/A	\$93	\$93	N/A	N/A	N/A	N/A	N/A
6'	\$93	N/A	\$186	\$193	\$193	\$203	\$203	N/A
7'	\$97	\$186	\$186	\$193	\$193	\$286	\$288	\$288
8'	N/A	\$193	\$193	\$193	\$193	\$286	\$288	\$292
9'	N/A	\$193	\$193	\$193	\$193	\$295	\$295	\$305
9'	N/A	N/A	\$277	\$288	\$295	\$309	\$309	N/A

## Roof Sealing Kits Combo Compartment Top-Mount Systems

	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'
6'	\$370	\$370	\$370	\$554	\$554	\$554	\$554	\$554	\$549	\$554
7'	\$386	\$386	\$386	\$571	\$571	\$571	\$571	\$571	\$571	\$571
8'	\$394	\$394	\$394	\$588	\$588	\$588	\$588	\$588	\$588	\$588
9'	\$402	\$402	\$402	\$612	\$612	\$612	\$612	N/A	N/A	N/A
10'	\$420	\$420	\$428	\$629	\$629	\$629	\$629	N/A	N/A	N/A

## Optional Flat Membrane Roof Caps

(Available for side-mount units only)

	6'	7'	8'	9'	10'
6'	\$322	\$354	\$389	\$426	\$490
7'	\$354	\$394	\$432	\$510	\$543
8'	\$389	\$594	\$510	\$557	\$602
9'	\$426	\$510	\$602	\$607	\$689
10'	\$490	\$543	\$602	\$625	\$689
11'	\$524	\$585	\$647	\$705	\$800
12'	\$559	\$625	\$689	\$792	\$854
13'	\$594	\$663	\$769	\$809	\$908
14'	\$626	\$737	\$814	\$889	\$966
15'	\$694	\$776	\$857	\$938	\$1,019
16'	\$729	\$817	\$903	\$987	\$1,107
17'	\$764	\$846	\$948	\$1,073	\$1,163
18'	\$797	\$891	\$1,026	\$1,119	\$1,219
19'	\$830	\$967	\$1,068	\$1,171	\$1,274
20'	\$896	\$1,006	\$1,110	\$1,222	\$1,330

## Polar-Pak Pricing Instructions

### Combo Pricing:

- a) Combinations are quoted by using the individual compartment prices for each section.

Example: 7'9" x 15'5" x 7'6" Cooler/Freezer Combo with each compartment equal in size

**7'9" x 7'9" x 7'6" Cooler \$14,836**

**7'9" x 7'9" x 7'6" Freezer \$19,910**

**Total: \$34,746**

- b) Combination possible only in the compartment sizes available in the Polar-Pak Price List.
- c) Top mount systems are only available on compartment sizes larger than 5'10" x 5'10" on combination units. Units have to be mounted on 48" ceiling panels.
- d) For availability of odd combo sizes, contact Inside Sales.
- e) Compartment sizes are not to exceed sizes listed on the price list.
- f) Depending on door locations, top mount systems on combo units may be located at door entrance.

### Door Locations:

- a) Door sections are 46" wide.
- b) On 5' x 4' units, the door has to be on the 5' wall.
- c) On 6' x 4' units, the door has to be on the 6' wall.
- d) 30" and 34" wide doors — add \$162 to list price.

### Odd Sizes:

- a) Contact Inside Sales
- b) Sizes are not to exceed those listed in the Polar-Pak price list.

### Heights:

- a) 7'6" high units are standard and available under the Polar-Pak quick ship program (w/ floor only).
- b) 6'6" high units are available under normal Kolpak lead times.

### Outdoor Applications: (Requires extra lead-time).

- a) Low ambient kits have to be added to refrigeration prices.
- b) Roof sealing kits are required on outdoor Polar-Pak units.
- c) Outdoor Polar-Pak units require drain lines (field provided and installed).

### Miscellaneous:

- a) For options not listed in the price list, contact Inside Sales.
- b) Any order that deviates from the Polar-Pak standard will be shipped under normal lead times.
- c) Polar-Pak boxes must come with refrigeration systems. Use standard Kolpak price list.

# Polar-Pak® System by Kolpak

## Kolpak Parts and Labor Warranty

### Parts Coverage

One (1) year from start up date but no more than 18 months from ship date Kolpak will replace all defective parts or assemblies including doors and door assemblies). First year compressor failures are to be exchanged at local wholesale supply stores. Optional four (4) year compressor warranty.

After the expiration of the one (1) year parts warranty, Kolpak will replace, for the following four (4) years, the compressor of the condensing unit assembly.

Foamed-in-place panels are warranted to be free from defects in material and workmanship under normal use and service for a period of ten (10) years from the date of original installation. Painted surfaces shall be warranted eighteen months from date of installation.

Following the expiration of the basic parts warranty, replacement parts purchased from Kolpak shall be warranted for a period of ninety days from installation date.

### Labor Coverage

One (1) year from original start up, Kolpak will pay the labor to repair or replace defective parts or assemblies. This warranty covers walk-in panels and parts, and pre-charged refrigeration systems. Non pre-charged refrigeration systems are covered by a 30 day labor warranty for replacement of parts only.

Kolpak reserves the right to pay maximum hourly rate equal to the average commercial hourly rates within the territory or region of the country. This warranty is issued to the original purchaser-user and is in lieu of all other warranties expressed or implied.

### Exclusions of Warranty Coverage

1. Normal maintenance, adjustments, and cleaning.
2. Repairs due to unauthorized modifications of warranted equipment.
3. Damage from improper installation, improper electrical supply, fire, floods or other acts of God.
4. Damage or delays occurring in transit.
5. Parts of assemblies subject to misuse, abuse, neglect, or accidents.
6. Damage or loss of any products, property, loss of income or profit due to malfunctioning of sold unit.
7. Floor panels are not warranted under the following conditions:
  - a) Floor panels which are cleaned by wet mopping or use of a water hose.
  - b) Use of dollies, carts, pallet jacks, etc., on non-reinforced floors.
  - c) Evenly distributed load weights in excess of 700 pounds per square foot.

### Terms of Sale

**PRICES:** All prices are subject to change without notice. Prices are FOB point of origin.

**TAXES:** Any tax or other Government charges upon production, sale, and shipment of goods sold hereunder now imposed by Federal, State, or municipal authorities or hereafter becoming effective, shall be added to the price herein provided, and shall be paid by the buyer.

**ACCEPTANCE:** Receipt of our Price List does not constitute an offer to sale.

**TERMS:** Net 30 Days (Based on credit approval).

**RECEIVING INSPECTION:** Upon receipt of equipment, the shipment should be checked carefully against the bill of lading. Receipt should not be signed until all items listed on the bill of lading have been accounted for. Inspect the shipment carefully for visible damage or signs of concealed damage.

**DAMAGE:** Any shortage or damage should be reported to the Kolpak Service Department immediately to determine what steps need to be taken to file a freight damage claim. Damaged material CANNOT be returned to the manufacturer without first obtaining approval. We are not responsible for loss or damage when you give the transportation company a clear receipt. Address all inquiries to: Kolpak, Service/Parts Department, P.O. Box 550, Parsons, TN 38363, Phone: 800-225-9916.

### Restocking Policy

Standard orders which are cancelled or changed by our customer after they have been released to production will be subject to a 25% restocking fee based upon the total cost of the product less freight, taxes, etc. Special (nonstandard) orders which are cancelled, once released to production will be subject to the total invoice amount less freight, taxes, etc. Change orders which may be issued against special orders will be charged the total amount necessary to accommodate the change.

4433 ©2008 Kolpak 11/08

*In accordance with our policy of continuous product development and improvement, the information and prices listed are subject to change at any time without notice.*

*We are committed to protecting the environment and its resources. For up-to-date product data always view an electronic version on our web site.*



**KOLPAK**  
2915 Tennessee Avenue North  
Parsons, TN 38363, USA  
Ph: 800-826-7036 • Fax: 731-847-5387  
Visit us online at [www.kolpak.com](http://www.kolpak.com)

Manitowoc