



# Flameless Lighting Catalog

Effective June 1, 2013





## Hollowick Flameless Lighting “Flicker Without The Flame”



**TruFlame™ LED  
Technology -  
Natural  
Flame Flicker  
and Color**



For over 40 years Hollowick has provided superior performance table lighting and cooking fuel products to help enhance the restaurant dining experience. We recognize the need for flameless lighting and proudly offer a full line of rechargeable and battery powered candles to our customers who desire intimate accent lighting without a live flame.

### A Commitment to Technology and Product Excellence

Hollowick is proud to offer flameless candles that stand at the forefront of commercial LED lighting. Increasing demands by foodservice professionals for exceptional performance and lifelike ambience drives innovation and enhancement to the Hollowick Flameless line. Recent improvements in flicker technology, battery life and warranty illustrate our firm commitment to improving customer service, product satisfaction and the overall guest experience.

#### Recent Improvements:

- **TruFlame™ Technology** – a patented LED system with the most natural flicker and flame appearance available today is now featured in several of our most popular products.
- **Extended battery life:**
  - Evolution Series: Up to 24 hours on a 6 hour charge
  - Platinum Series: Up to 18 hours on an 8 hour charge
  - LED Tealights: Up to 75 hours on a single battery
- **Extended Lifetime Warranty on Evolution Rechargeable LED Series**

### What is LED (Light Emitting Diode) Technology?

LED Technology is tiny cool-burning light bulbs that fit easily into an electric circuit.

#### Benefits of LED lights:

- **Extremely Long Life** - Last 20 times longer than incandescent bulbs
- **Very Durable** - Nearly impossible to break with vibration or shock
- **Less Heat** - Same light output as incandescent, but with a fraction of the heat
- **Exceptional Energy Efficiency** - Very low draw on batteries = long battery life

# Hollowick Flameless Lighting Products

## Rechargeable Systems...



**Evolution Series**

Page 4



**Platinum Series**

Page 6



**Evolution & Platinum Accessories**

Page 7

## Covered Holders



Page 9

## TruFlame™ Indoor/ Outdoor Pillars



**3 Sizes**

Page 10

## TruFlame™ LED Wax Pillars



**5 Sizes**

Page 11

## Battery Powered...



**LED Smart Tealights**

Page 13

**Wax Votives**

Page 13



# Evolution Rechargeable LED Series

Rechargeable  
Lithium Ion Battery



24 hrs of light  
from a 6 hr charge

TruFlame™  
LED Candlelight Color



Natural Flicker  
Technology

LIMITED  
LIFETIME



WARRANTY

Optional  
Remote Control



On/Off  
Static/Flicker

Optional  
Smart Guard



Anti Theft  
Device Inside



Candlelight

The Evolution Line represents the next generation of flameless table lighting for the commercial tabletop industry. With its induction charging system, Smart Guard theft deterrent system and now the remote control option, restaurants, hotels and nightclubs can provide the most realistic flame-like appearance any flameless system has to offer. Evolution Candles have both a flicker and a static mode.



Linkable Induction Charging Trays – With no metal charging pins, induction charging trays and candles are built to withstand the rigors of continuous commercial use. Four trays may be linked per power adaptor, allowing up to 48 candles to charge per adaptor.

Evolution candles fit most Hollowick Lamps. See page 14 for more details.

## Induction Charging System



CANDLE OPERATION:

- Press once to activate "FLICKER" mode
- Press again for "STATIC" mode (continuous light)
- Press again to turn "OFF"



Batteries will stay fresh on tray and won't overcharge

Solid Red = Charging

Solid Green = Fully Charged

## Optional Remote Control

- Remote Control functions: On/Off; Flicker/Static
- Remote operating radius is approximately 20 feet
- Remote will control any Evolution Remote candle
- Remote powered by one replaceable CR2025 battery (included)
- One Remote is included with each Evolution Remote system set (remotes also sold separately)



## Optional Smart Guard Theft Deterrent System

Smart Guard is an optional anti theft system, available only on the Evolution series, to help deter theft. How it works:

- Smart guard activates when Evolution candles are turned on
- If picked up for more than 5 seconds, candles with Smart Guard will turn off and a red light indicator on the top of the candle will flash
- If the candle is not returned to its upright position within 5 seconds it will also start to "beep"
- Once it is returned to its upright position the candle will reset
- If the candle is not returned to a stable upright position then the red flashing light and beeping will continue

Turning the candle off does NOT deactivate Smart Guard. Smart Guard is active in ANY mode once turned on and remains active until it is either returned to the powered charging tray or deactivated with the "Smart Guard Key" (key sold separately).



# Evolution Rechargeable LED Series

	Item #	Description	Shipping Wt. lbs.	Dimensions L" x W" x H" *	List PRICE
	#EVOX12-CL	<b>Evolution</b> - Set of 12 Candles - Includes Power Adaptor, Charging Tray, & 12 Candles	4#	12 x 4.75 x 2.25	<b>\$499.00</b>
	#EVOX/RC12-CL	<b>Evolution REMOTE</b> - Set of 12 Candles - Includes Power Adaptor, Charging Tray, 1 Remote, & 12 Candles	4#	12 x 4.75 x 2.25	 <b>\$599.00</b>
	#EVOG12-CL	<b>Evolution WITH SMART GUARD</b> - Set of 12 Candles - Includes Power Adaptor, Charging Tray, & 12 Candles	4#	12 x 4.75 x 2.25	 <b>\$599.00</b>
	#EVOX24-CL	<b>Evolution</b> Set of 24 Candles - Includes Power Adaptor, 2 Charging Trays, & 24 Candles	8#	12 x 9.5 x 2.25	<b>\$948.00</b>
	#EVOX/RC24-CL	<b>Evolution REMOTE</b> - Set of 24 Candles - Includes Power Adaptor, 2 Charging Trays, 2 Remotes, & 24 Candles	8#	12 x 9.5 x 2.25	 <b>\$1138.10</b>
	#EVOG24-CL	<b>Evolution WITH SMART GUARD</b> - Set of 24 Candles - Includes Power Adaptor, 2 Charging Trays, and 24 Candles	8#	12 x 9.5 x 2.25	 <b>\$1138.10</b>
	#EVOX36-CL	<b>Evolution</b> - Set of 36 Candles - Includes Power Adaptor, 3 Charging Trays, & 36 Candles	11#	12 x 14.25 x 2.25	<b>\$1384.73</b>
	#EVOX/RC36-CL	<b>Evolution REMOTE</b> - Set of 36 Candles - Includes Power Adaptor, 3 Charging Trays, 3 Remotes, & 36 Candles	11#	12 x 14.25 x 2.25	 <b>\$1662.23</b>
	#EVOG36-CL	<b>Evolution WITH SMART GUARD</b> - Set of 36 Candles - Includes Power Adaptor, 3 Charging Trays, & 36 Candles	11#	12 x 14.25 x 2.25	 <b>\$1662.23</b>
	#EVOX48-CL	<b>Evolution</b> - Set of 48 Candles - Includes Power Adaptor, 4 Charging Trays, & 48 Candles	14#	12 x 19 x 2.25	<b>\$1796.40</b>
	#EVOX/RC48-CL	<b>Evolution REMOTE</b> - Set of 48 Candles - Includes Power Adaptor, 4 Charging Trays, 4 Remotes, & 48 Candles	14#	12 x 19 x 2.25	 <b>\$2156.40</b>
	#EVOG48-CL	<b>Evolution WITH SMART GUARD</b> - Set of 48 Candles - Includes Power Adaptor, 4 Charging Trays, & 48 Candles	14#	12 x 19 x 2.25	 <b>\$2156.40</b>
<b>Evolution Parts and Accessories</b>					
	#EVOX-CL	<b>Evolution Candle Replacements</b>	.25#	1.5 x 2.25	<b>\$31.60/ea.</b>
	#EVOX/RC-CL	<b>Evolution REMOTE Control Candle Replacements (Does not include a Remote Control)</b>	.25#	1.5 x 2.25	 <b>\$39.50/ea.</b>
	#EVOG-CL	<b>Evolution Candle Replacements WITH SMART GUARD</b>	.25#	1.5 x 2.25	 <b>\$39.50/ea.</b>
	#EVO-CT	<b>Evolution Induction Charging Tray</b>	1.25#	12 x 4.75 x 1.5	<b>\$155.00/ea.</b>
	#EVOADP-UL	<b>Evolution Multi-Tray Power Adaptor</b>	.84#		<b>\$82.50/ea.</b>
	#EVO-RC	<b>Evolution REMOTE Control For use with Evolution Remote Candles</b>	.5#	3.4 x 1.5	 <b>\$10.00/ea.</b>
	#EVO-KEY	<b>Evolution Smart Guard Key</b>	0.3#	3 x 1 1/4	 <b>\$50.00/ea.</b>

\* CANDLE HEIGHT IS THE TOTAL HEIGHT OF CANDLE, TIP INCLUDED

# Platinum Rechargeable LED Series

Rechargeable NiMh Battery



Up to **18** hrs of light from an 8 hr charge

ONE YEAR LIMITED

**1**

WARRANTY



Amber



Warm White



Platinum candles fit most Hollowick Lamps. See page 14 for more details.

The Platinum Series leads the market of Nickel Metal Hydride (NiMh) commercial rechargeable systems. Designed specifically to withstand the rigors of the foodservice environment, the Platinum system, available in two colors, is the smart choice for flameless table lighting.

- Patented enhanced random flicker technology
- Linkable wall-mountable charging trays
- Two color choices: Warm White & Amber



**Linkable Charging Trays** – The charging tray features a solid, durable receiving pin that is designed to withstand the rigors of commercial use and is less prone to breakage as some lesser quality systems are known to be. Four trays may be linked per power adaptor, allowing up to 48 candles to charge per adaptor. The Platinum Series charging tray is designed so it can be mounted on a wall, preserving valuable counter and table space.



**Nickel Metal Hydride (NiMh) Batteries** – An 8 hour charge produces up to 18 hours of run time.

**Charging Indicators** – LEDs on the charging tray indicate charging status for each candle. **GREEN** means fully charged; **RED** means charging

**No Overcharging Worries** - Our commercial rechargeable systems are designed to charge each candle as needed and to adequately keep each candle unit fresh



	Item #	Description	Shipping Weight lbs.	Dimensions L" x W" x H" *	List PRICE
	#SCR12-A	Platinum - Set of 12 Amber Candles - Includes Power Adaptor, Charging Tray, and 12 Candles	4#	12 x 4.75 x 2.25	<b>\$365.05</b>
	#SCR12-WW	Platinum - Set of 12 Warm White Candles - Includes Power Adaptor, Charging Tray, and 12 Candles			
	#SCR24-A	Platinum - Set of 24 Amber Candles - Includes Power Adaptor, 2 Charging Trays, and 24 Candles	8#	12 x 9.5 x 2.25	<b>\$694.20</b>
	#SCR24-WW	Platinum - Set of 24 Warm White Candles - Includes Power Adaptor, 2 Charging Trays, and 24 Candles			
	#SCR36-A	Platinum - Set of 36 Amber Candles - Includes Power Adaptor, 3 Charging Trays, and 36 candles	11#	12 x 14.25 x 2.25	<b>\$1,013.85</b>
	#SCR36-WW	Platinum - Set of 36 Warm White Candles - Includes Power Adaptor, 3 Charging Trays, and 36 Candles			
	#SCR48-A	Platinum - Set of 48 Amber Candles - Includes Power Adaptor, 4 Charging Trays, and 48 Candles	13#	12 x 19 x 2.25	<b>\$1,315.60</b>
	#SCR48-WW	Platinum - Set of 48 Warm White Candles - Includes Power Adaptor, 4 Charging Trays, and 48 Candles			

**Platinum Parts and Accessories**


	#SCR1-A	Replacement Platinum Candles - Amber (NiMh)	.25#	1.5 x 2.25	<b>\$19.50/ea.</b>
	#SCR1-WW	Replacement Platinum Candles - Warm White (NiMh)	.25#		
	#SCR1-CT	Platinum Pin-Based Charging Tray	1.22#	12 x 4.75 x 1.5	<b>\$110.80</b>
	#SCR1-ADP-M	Platinum Multi-Tray Power Adaptor	1.0#		<b>\$55.40/ea.</b>

\* CANDLE HEIGHT IS THE TOTAL HEIGHT OF CANDLE, TIP INCLUDED

## Accessories


### Ivory Silicone Sleeve

The optional Ivory Silicone Sleeve fits easily over the Evolution and Platinum Rechargeable Candles. A simple way to create an elegant, traditional look.



**#SSPL-I**  
Ivory Silicone Sleeve  
1.5" W x 2.63" H (0.60#)  
**\$60.00/cs**



	Item #	Description	Shipping Weight lbs.	Dimensions L" x W" x H"	List PRICE
	#SSPL-I	<b>Ivory Silicone Sleeve -</b> Fits easily over the Evolution and Platinum Rechargeable Candles 12/cs	0.6#	1.5 x 2.63	<b>\$60.00/cs</b>


### Docking Station

Use the docking station to free up valuable counter space and protect your Evolution or Platinum system investment. Made from 16 gauge steel and double welded for added strength, the docking station can be easily wall-mounted or used on a banquet cart for quick loading and unloading of candles.

- Securely holds and properly aligns up to 4 charging trays (48 candles)
- Hardware included for cart or wall mount
- Trays and candles sold separately
- Limited lifetime warranty
- Made in U.S.A.

**#SDSX-1**  
Docking Station  
20.5" W x 9" D x 9" H  
(8.15#)  
**\$180.00/ea.**



	Item #	Description	Shipping Weight lbs.	Dimensions L" x W" x H"	List PRICE
	#SDSX-1	<b>Docking Station -</b> Easy wall mount or use on banquet cart. Securely holds and properly aligns up to 4 charging trays (48 candles).	8.15#	20.5 x 9 x 9	<b>\$180.00/ea</b>

### Smart Guard Key for Evolution Series

The Smart Guard Key is an optional device used to either temporarily disable or totally disarm Smart Guard Evolution candles equipped with the Smart Guard Anti-theft system. Using the key is a more convenient alternative to returning the candles to the charging base to disarm.

The Smart Guard Key is only to be used with Evolution candles equipped with Smart Guard. (See page 14 for instructions for use).



**#EVO-KEY**  
Evolution Smart Guard Key  
3" L x 1 1/4" W (0.3#)  
**\$50.00/ea.**



# Evolution vs. Platinum Rechargeable System Comparisons

## Features Comparison

Feature	Evolution (Candles Sold Separately)	Platinum (Candles Sold Separately)
 <b>TruFlame™ Technology</b>	YES	NO
<b>Light Mode</b>	Flicker and Static	Flicker
<b>LED Color</b>	Candlelight	Amber or Warm White
<b>Run Time</b>	24 hours (flicker), 18 hours (static)	18 hours
<b>Charge Time</b>	6 hours	8 hours
<b>Charging Tray Style</b>	Induction	Pin
<b>Tray Connections</b>	Up to Four	Up to Four
 <b>Smart Guard Option</b>	YES	NO
 <b>Remote Control Option</b>	YES	NO
<b>Optional Silicone Sleeve</b>	YES	YES
<b>Warranty</b>	Limited Lifetime	1 Year Limited
<b>Estimated Battery Life</b>	Li-Ion 14,000 hours / 800 charging cycles	NiMh 10,500 hours / 700 charging cycles



## Covered Holders



**SCH811-CW**  
White  
\$28.00/ea




**SCH831-CW**  
Acanthus White  
\$28.00/ea



**SCH811-CA**  
Amber  
\$28.00/ea



**SCH831-CA**  
Acanthus Amber  
\$28.00/ea



**SCH811-EW**  
White  
\$32.00/ea



**SCH811-EA**  
Amber  
\$32.00/ea

5" H x 2 3/4" Dia. (Wt. 0.8#)

5" H x 3 1/4" Dia. (Wt. 0.7#)



The modern Egg and Cylinder-shaped flameless candle covers are made of satin textured resin for a warm soothing glow. Both covered shapes are available in white and amber color.

- Chrome base attaches magnetically
- Weather resistant O-ring seal protects flameless candles during outdoor use



**For Use with Flameless  
Candle Systems Only  
Candles Sold Separately**



# TruFlame™ Indoor/Outdoor Flameless LED Pillars

TruFlame™  
LED Candlelight Color



Natural Flicker  
Technology

4-Stage  
Timer



4, 6, 8, 10 Hr

ONE YEAR  
LIMITED

1


WARRANTY

Remote Control  
included



On/Off, Timer  
Flicker/Static, Dimmer

Dimmer  
Control



D Battery Version



2 Alkaline D Batteries  
(Not Included)

Up To


1000  
hours

- EVOLUTION TruFlame™ LED color and technology
- Up to 1000 hours run time (for best results use name brand Alkaline batteries)
- Durable Plastic body that can withstand heat from direct sunlight
- Runs on 2-D alkaline batteries (not included)
- Remote operates all candles - one remote controller included per case
- Candles operate by remote control or built-in 4-Stage timer
- Limited One Year Warranty

## 4-Stage Timer Operation:



- Four run time options: 4, 6, 8 or 10 hour time duration
- Automatic 24 hour cycle function:
  - Candle automatically turns **OFF** after set time expires
  - Candle automatically turns back **ON** 24 hours after initial turn on
  - Cycle repeats until manually changed or the batteries expire



Drain Hole helps eliminate pooled rain water, drains through the bottom.



# TruFlame™ LED Indoor Flameless Wax Pillars

TruFlame™  
LED Candlelight Color



Natural Flicker  
Technology

3-Stage  
Timer



4, 6, 8 Hr

ONE YEAR  
LIMITED

1

WARRANTY

Remote Control  
included



AA Battery Version



4 Alkaline AA Batteries  
(Not Included)

Up To

450  
hours

- EVOLUTION TruFlame™ LED color and technology
- Up to 450 hours run time (for best results use name brand Alkaline batteries)
- Unscented real wax Ivory LED Pillars with Smooth Finish
- Runs on 4-AA alkaline batteries (not included)
- Remote operates all candles - one remote controller included per case
- Candles operate by remote control or built-in 3-Stage timer
- Limited One Year Warranty

### 3-Stage Timer Operation:



- Three run time options: 4, 6 or 8 hour time duration
- Automatic 24 hour cycle function:
  - Candle automatically turns **OFF** after set time expires
  - Candle automatically turns back **ON** 24 hours after initial turn on
  - Cycle repeats until manually changed or the batteries expire

Each pillar  
comes cased in a  
shelf-friendly clear plastic  
display package




# TruFlame™ Wax and Indoor/Outdoor Flameless LED Pillars

See page 15 for Use and Care

INDOOR/OUTDOOR FLAMELESS LED PILLARS	Item #	Description	Shipping Weight lbs.	Items per case	List PRICE
	#OP351TR	<b>3" Dia. x 5" H Indoor/Outdoor Flameless Pillar w/Remote</b> Ivory Candles (4/cs), Includes 1 Remote	1.8#	4/cs	<b>\$128.00</b>
	#OP371TR	<b>3" Dia. x 7" H Indoor/Outdoor Flameless Pillar w/Remote</b> Ivory Candles (4/cs), Includes 1 Remote	2.4#	4/cs	<b>\$140.00</b>
	#OP391TR	<b>3" Dia. x 9" H Indoor/Outdoor Flameless Pillar w/Remote</b> Ivory Candles (4/cs), Includes 1 Remote	2.8#	4/cs	<b>\$160.00</b>
	#OPSC-RC	<b>Indoor/Outdoor Pillar Remote Control</b> For use with Indoor/Outdoor Remote Control Pillars (1/cs) 3.4"L x 1.5"W x .25"H	.24#	1/cs	<b>\$15.00</b>
TRUFLAME™ LED WAX PILLARS	Item #	Description	Shipping Weight lbs.	Items per case	List PRICE
	#WP341TR	<b>3" Dia. x 4" H TruFlame™ LED Wax Pillars</b> Wax Ivory Candles (4/cs), Includes 1 Remote	2.4#	4/cs	<b>\$80.00</b>
	#WP361TR	<b>3" Dia. x 6" H TruFlame™ LED Wax Pillars</b> Wax Ivory Candles (4/cs), Includes 1 Remote	3.3#	4/cs	<b>\$88.00</b>
	#WP381TR	<b>3" Dia. x 8" H TruFlame™ LED Wax Pillars</b> Wax Ivory Candles (4/cs), Includes 1 Remote	4.2#	4/cs	<b>\$112.00</b>
	#WP461TR	<b>4" Dia. x 6" H TruFlame™ LED Wax Pillars</b> Wax Ivory Candles (2/cs), Includes 1 Remote	2.5#	2/cs	<b>\$59.00</b>
	#WP481TR	<b>4" Dia. x 8" H TruFlame™ LED Wax Pillars</b> Wax Ivory Candles (2/cs), Includes 1 Remote	3.3#	2/cs	<b>\$64.00</b>
	#SC-REMOTE-IR	<b>TruFlame™ LED Wax Pillars Remote</b> For use with TruFlame™ LED Wax Pillars (1/cs) 3.4"L x 1.5"W x .25"H	.24#	1/cs	<b>\$5.00</b>

# LED Battery Powered Smart Tealights



Ultra Bright Amber LED



LED Battery Powered Smart Tealights  
6 pack




LED Battery Powered Smart Tealights  
144 bulk pack

LED Battery Powered Smart Tealights are ideal for parties, receptions and outdoor events. Great for any venue where ambient light is desired but open flame is not allowed or practical.

- Up to 75 Hours
- Ultra Bright Amber LED
- Two shelf-ready display packs (6 and 144 packs)

# LED Battery Powered Real Wax Votives



Battery Powered  
Wax Votive



LED Battery Powered Wax Votive  
48 Bulk Pack Display

Made with real wax, the LED Battery Powered Wax Votives are a safe and sensible lighting alternative to real flame wax votive candles.

- Up to 75 Hours
- Ultra Bright Amber LED
- Made with real wax

	Item #	Description	Shipping Weight lbs.	Dimensions L" x W" x H"	List PRICE
	#SC3684A-C6	6 pack LED Battery Powered Smart Tealights - 1 Blister Pack, 6/pk Tealights with Batteries	0.5#	1.5 x 1.5	\$15.00/pk
	#SC3684A-D144	144 Bulk Pack LED Battery Powered Smart Tealights - 1 Display Bulk Pack, 144/cs Candles with Batteries	5.0#	1.5 x 1.5	\$243.00/cs
	#SCWVIA-48	48 Bulk Pack LED Battery Powered Real Wax Votives - 1 Display Bulk Pack, 48/cs Votives with Batteries	7.5#	2 x 2.5	\$248.00/cs

# Lamp Suggestions and Warranty Information

Hollowick offers a variety of high quality lamps that will accept the Evolution, Platinum and Battery Powered Tealight candles. Please refer to the main Hollowick Catalog or [www.Hollowick.com](http://www.Hollowick.com) for a full selection of Hollowick lamps. When choosing the best lamps for your flameless lighting systems, please consider the following points:




To create a more believable “flame-lit” atmosphere, consider masking flameless candles in lamps with a textured or non-transparent finish. Frosted and satin lamps work best - they mask the actual candle shape from showing through the lamp, but allow light and flicker action to shine through. Other excel-

lents nontransparent textured lamp choices include: Jewel finish lamps, Mica, Mosaic, Onyx, and Mocha lamps.

Lamps for Evolution and Platinum rechargeable candles should be a minimum of 3” tall. However, for optimal “flame” position and appearance, lamps measuring 3.75” or taller are recommended. Most tealight and votive size lamps will work best with the LED Tealights.



## LIMITED LIFETIME Warranty on Evolution Series



LIMITED  
LIFETIME  
  
WARRANTY

The Evolution system carries a limited lifetime warranty. This limited warranty applies to manufacturing defects with candles, charging tray(s), transformer, and power adaptor(s).

## ONE YEAR Limited Warranty on Platinum Series, TruFlame™ LED Wax Pillars and Indoor/Outdoor Pillars



ONE YEAR  
LIMITED  
**1**  
WARRANTY

The Platinum Series and TruFlame™ LED Wax Pillars carry a one-year limited warranty. This limited warranty applies to manufacturing defects with candles, charging tray(s), transformer, and power adaptor(s).

### **Failure to follow these instructions voids manufacturer's warranty.**

- Only use the power adaptor supplied with the candle set
- Do not attempt to open any part of the charging tray(s), transformer, power adaptor, or candles
- Keep the charging tray(s), transformer, power adaptor, and candles away from heat, water or condensation
- Hollowick accepts no responsibility from misuse/abuse of its products, or the failure to observe charging instructions and general guidelines for proper use

## Smart Guard Key Instructions

The Smart Guard key is an optional device that can be purchased separately, and either temporarily disables, or totally disarms a Smart Guard Evolution Candle, without needing to place it back on a powered charging base.

### **To Temporarily Disable Smart Guard:**

- Hold the candle at a slight angle and press the key in the candle. Once the red LED on the candle lights up, **immediately release the key from the candle.**

Smart Guard is now deactivated until the candle is turned back on.




### **To Totally Disable Smart Guard:**

- Hold the candle at an angle, **press and hold the key in the candle for 2 seconds.**
- The red LED in the candle will light up and the candle will “beep” once. When complete, Smart Guard will be disabled. **Please note that when the candle is turned on again after using this feature, Smart Guard WILL NOT ENGAGE.** To reset the Smart Guard after using this feature, the candle will need to be set back on a powered charging tray.

# Instructions

## Charging Instructions



### CONDITIONING

**IMPORTANT:** TO PROPERLY CONDITION YOUR CANDLES, AN INITIAL CHARGE OF 20 HOURS IS REQUIRED BEFORE FIRST USE!!!

Before putting your candles into operation, be sure to charge your candles for 20 hours to complete the conditioning charge. After twenty hours of charging, remove your candles from the charging tray, then turn them on and allow them to DISCHARGE COMPLETELY. Your candles are now ready to be recharged.

FAILURE TO FOLLOW THESE INSTRUCTIONS VOIDS ANY MANUFACTURER'S GUARANTEE

### CHARGING

- Place your candles onto the charging tray. (If using the Platinum Series, firmly place the candles onto the charging tray receiving pins.)
- If using more than one charging tray, slide the charging trays firmly together. Both the Platinum and Evolution Series Power Adaptors are designed to charge up to four charging trays per power adaptor (up to 48 candles).

- Insert the supplied power adaptor into the charging tray and plug in.
- The charge indicator lights will illuminate **RED** when charging and **GREEN** when fully charged.

### TROUBLE SHOOTING

Candle power adaptors are designed to charge up to 4 charging trays at a time (up to 48 candles) and come with an in-line reset button. Attempting to charge more than 48 candles will trip the reset. Use only the power adaptor provided to recharge your candles. Failure to do so voids the manufacturer's guarantee.



Please note that Evolution Series and Platinum Series have different power requirements and their power adaptors are NOT interchangeable.

If indicator lights do not illuminate once plugged in, check the reset switch and reset, if tripped.

If indicator lights still do not illuminate, check your power supply, double check your charging tray connections, power cord connection, and repeat the charging instructions above.

### STORAGE

Storage is recommended if your candles are not going to be used for more than 4-weeks. To store your candles, fully charge and remove them from the charging tray, making sure the on/off switch is in the off position.

## TruFlame™ LED Wax Pillar Instructions

#### BATTERY INSTALLATION

- To release battery cover on bottom, push down and slide cover to the left.
- Install (4) AA batteries.\* Be sure batteries are inserted in the proper direction (Fig. 1) and replace battery cover.




Fig. 1

#### CANDLE OPERATION

- For manual ON/OFF operation: Slide switch to ON to operate (Fig. 2).




Fig. 2




Fig. 3

*Timer and remote are not included on all candles*

#### CANDLE MAINTENANCE

- Clean with a soft, dry cloth.
- If needed, use a damp cloth and mild household soap.

#### CAUTION

- Candle is made of REAL WAX and is FLAMMABLE. This product is designed for INDOOR USE. Keep away from any heat source that could cause the wax to soften, melt or catch fire.
- To avoid wax deposits on any surfaces, place on a protective base.
- Failure to insert batteries correctly may shorten the life of the batteries or cause batteries to leak, which may damage candle.
- Do not mix old and new batteries. Do not mix alkaline, carbon zinc, rechargeable nickel cadmium or rechargeable nickel metal hydride batteries.
- Do not dispose of batteries in fire. Recycle or dispose of batteries per battery manufacturer recommendations.

\* NOTE: Brand name alkaline batteries are recommended for maximum battery life

## Indoor/Outdoor LED Pillar Instructions

#### BATTERY INSTALLATION

- To release battery cover on base of candle, loosen screws using a Phillips head screw driver, and pull open.
- Install two D batteries (not included). Be sure batteries are inserted in the proper direction (per polarity marking inside candle) and replace battery cover (Fig. 1).




Fig. 1

#### CANDLE OPERATION – MANUAL

Press ON/OFF button once to turn candle on. Press again to turn OFF (Fig. 2). In manual mode, only the eight hour timer setting is available. To activate an eight hour timer mode, turn candle to ON mode, then press and hold ON/OFF button until LED blinks two times. Candle will now automatically turn on at the set time every day and turn off after eight hours. See remote operation for additional timer settings and functionality.




Fig. 2

#### CANDLE OPERATION – REMOTE (USES CR2025 BATTERY—INCLUDED)

To use remote: point towards candle and press ON. To turn off, press OFF. Remote will work within a 30ft range of candle.

#### TIMER SETTINGS

The outdoor pillar has four separate timer modes to choose from: 4hr, 6hr, 8hr or 10hr. To activate the desired timer setting while candle is ON press button of your desired timer setting 4, 6, 8, 10 and hold for approximately one second. The LED will blink 1x for 4hr, 2x's for 6hr, 3x's for 8hr, and 4x's for 10hr. Once complete, candle will automatically turn on at the set time every day and turn off after the selected number of hours.




Fig. 3

Fig. 4

#### FLICKER OR STATIC LIGHT MODE

To chose flicker or static light mode: while candle is ON press either FLICKER or STATIC button on the remote. Flicker is the default setting. Static is continuous light with no flicker.

#### DIMMER CONTROL

The outdoor pillar has five brightness settings to choose from (the default setting is the brightest). To dim your candle in either flicker or static mode, point remote at the pillar and press button (Fig. 3) to dim candle one level. To adjust pillar to a brighter setting use the button (Fig. 4).

#### CANDLE MAINTENANCE

- Clean with a soft, dry cloth.
- If needed, use a damp cloth and mild household soap
- Do not completely immerse candle in water

#### CAUTION

- Failure to insert batteries correctly may shorten the life of the batteries or cause batteries to leak, which may damage candle
- Do not mix old and new batteries. Do not mix alkaline carbon zinc, rechargeable nickel cadmium or rechargeable nickel metal hydride batteries.
- Do not dispose of batteries in fire. Recycle or dispose of batteries per battery manufacturer recommendations.
- Changes or modifications not expressly approved by the party responsible for the compliance could void the user's authority to operate the equipment.



## Get It Quick From Hollowick

It's our policy to stock what we sell, and we typically ship to USA destinations within 24-48 hours of receiving an order from our authorized dealers.

P.O. Box 305, Manlius, NY 13104, USA  
(315) 682-2163 (800) 367-3015  
Fax: (315) 682-6948  
e-mail: info@hollowick.com



[www.Hollowick.com](http://www.Hollowick.com)



Like our page on Facebook



Follow us on Twitter

